



Bindals Papers Mills Limited

An ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Company

MANUFACTURERS OF WRITING & PRINTING PAPER, SUGAR & ETHANOL

Paper Unit- 8th Km., Bhopa Road, Muzaffarnagar-251 001 UP, INDIA

Sugar Unit- Vill. Changipur, Tehsil Chandpur, Distt. Bijnor-246734 (U.P.)

Distillery Unit- Vill. Changipur, Tehsil Chandpur, Distt. Bijnor-246734 (U.P.)

CIN : U21011DL2006PLC148926 • GSTIN : 09AADCB0282B1Z6



www.bindalpapers.com

Paper Unit- +91-131-2468381, 2468382, +91-9917055355

E-mail- info@bindalpapers.com

Sugar & Distillery Unit- +91-131-2468381, 2468382, +91-9917055355

E-mail- sugarprojects@bindalpapers.com

Ref No. : BPML/SD/01

Dated: 14.05.2025

To,
The Joint Director,
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Lucknow
Kendriya Bhawan, 5th Floor, Sector-H, Aliganj
Lucknow-226024

Sub: Six Monthly Compliance report of Environmental Clearance issued by MoEF&CC New Delhi, EC Identification No. - EC22A022UP151796.

Dear Sir,

This is reference to Environment Clearance issued to M/s Bindals Papers Mills Limited, Six Monthly Compliance report of Environmental Clearance issued by MoEF&CC New Delhi, EC Identification No. - EC22A022UP151796 File No. - **IA-J 11011/34/2022-IA-II (I)** **Date of Issue EC - 17/08/2022** for Integrated project for Sugar Cane Crushing Capacity - 10000 TCD, Molasses based Distillery capacity of 150 KLD at village- Changipur, Tehsil- Chandpur, District- Bijnor, Uttar Pradesh for the Period of 01.10.2024 to 31.03.2025

We are enclosing herewith six monthly Environment Clearance Compliances Report for the period 01.10.2024 to 31.03.2025.

We hope you will find the same in order.

Thanking you,

Bindals Papers Mills Ltd. (Sugar & Distillery Unit)
Village -Changipur Block -Noorpur, District Bijnor (UP)


Authorized Signatory

Encl: As Above

1. The Member Secretary Uttar Pradesh Pollution Control Board, Building No.TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010.
2. The Regional Director, Central Pollution Control Board PICUP Bhawan, Ground Floor, Vibhuti khand, Lucknow-226010



Regd. Office : NP-151 B, Maurya Enclave, Pitampura, Delhi-110088, INDIA

Six Monthly Compliance report of Environmental Clearance issued by MoEF&CC New Delhi, EC Identification No. - EC22A022UP151796 File No. - **IA-J 11011/34/2022-IA-II (I)** **Date of Issue EC - 17/08/2022** for Integrated project for Sugar Cane Crushing Capacity - 10000 TCD, Molasses based Distillery capacity of 150 KLD at village- Changipur, Tehsil- Chandpur, District- Bijnor, Uttar Pradesh by M/s Bindals Papers Mills Limited for the Period of 01.10.2024 to 31.03.2025.

A. SPECIFIC CONDITIONS		
No.	COMPLIANCE	STATUS
i.	The project proponent shall abide by all orders and judicial pronouncements made from time to time in the case related to Ground water abstraction which is pending within NGT, New Delhi and Case related to Cane Availability which is pending with High Court Allahabad.	Hon'ble Supreme Court of India, & Hon'ble NGT has passed their judgments ordered in the favor of project proponent M/s Bindals Papers Mills Limited.
ii.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	We are complying the condition.
iii.	The project proponent shall treat and reuse the treated water within the factory and no wastewater or treated water shall be discharged outside the premises of distillery unit. 50% treated water from sugar mill shall be recycled in distillery/process and remaining 50% treated water shall be reused in irrigation/horticulture / greenbelt development purposes as per CPCB norms of effluent discharge. STP shall be installed to treat sewage generated from factory premises.	We are complying the condition. The Sugar ETP treated water analysis is being carried out by EPA approved laboratory, recent analysis report of the ETP treated water is attached herein as Annexure No. 1. The STP is installed and the analysis report STP treated water of STP is carried out from UPPCB Bijnor on payment basis and attached herein as Annexure No. 2.
iv.	Total Fresh water requirement shall not exceed 4 KL/KL of ethanol production and will be met from ground water. No ground water recharge shall be permitted within the premises. Industry	We are complying the condition.

1 Feb



	shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	
v.	NOC from the Central Ground Water Authority (CGWA)/ Concerned Local authority shall be obtained before starting construction of plant and drawing the ground water for the project activities, State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.	We have received the ground water NOC from UPGWD, attached as Annexure No. 3.
vi.	Concentrated spent wash shall be burnt in incineration boiler. ESP shall be installed with each boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm ³ . Coal shall not be used as fuel. Ash will be supplied to brick manufacturers/given to farmers to be used as manure. PP shall use biomass like rice husk/bagasse as fuel for the proposed boiler. Low sulphur coal with maximum sulphur content of 0.5% shall only be used only in case of biomass unavailability. PP shall meet 10% of the total power requirement from solar power by generating power inside plant premises/adjacent/nearby areas.	<p>We are complying the condition. We have installed the incineration boiler to burn the concentrated spent wash, the details of spent wash generation, consumption etc is attached herein as Annexure No. 4.</p> <p>The stack monitoring is being carried out by EPA approved laboratory, recent analysis report of the stack emission is attached herein as Annexure No. 5.</p> <p>Our plant's fuel source is entirely biomass-based, which aligns well with renewable energy principles. By solely relying on biomass, such as rice husk or bagasse and spent wash slop, as fuel for our boilers. Our plant is fully dedicated to using renewable energy sources like biomass based fuels for demonstrated a proactive approach towards environmental stewardship and sustainable energy practices. We are discussing with various vendors for installation of efficient solar power system, for searching the appropriate</p>

1/5/20



		technology it's taking the time to ensure that our installation plans meet or exceed these requirements.
vii.	CO2 bottling plant shall be installed for maximum recovery of CO2 or collected and sold to authorized vendors.	The CO2 plant installation is taking time to ensure that our installation plans meet or exceed these requirements.
viii.	PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Occupational health surveillance programme is being undertaken as regular exercise for all the employees. First Aid Facility in occupational health centre is available. The medical record of each employee is being maintained separately, attached herewith as Annexure No. 6.
ix.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	We have a full-fledged safety department and the training is being imparted to all employees on safety and health aspects of chemicals handling as well as Safety and visual reality training is being provided to employees.
x.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. PESO certificate shall be obtained.	All arrangement has been taken for protection of possible fire hazards during manufacturing process in material handling. Its have installing of fire detection and suppression systems, such as fire alarms, extinguishers, sprinkler systems, and foam flooding system in ethanol storage area. The fire fighting facility has been approved by the Uttar Pradesh Fire and Emergency Services department, the NOC has been obtained for the same, copy of the same is attached herein as Annexure No.7. The unit also obtained the PESO license the copy of the same is attached herein as Annexure No. 8.
xi.	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations after approval of CPCB/SPCB. ETP sludge, process inorganic & evaporation salt shall be	We are complying the condition.

1/26



	disposed of to the TSDF.	
xii	<p>The company shall undertake waste minimization measures as below</p> <p>(a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.</p>	<p>We are complying the condition, we have incorporated all requirements in our system on the principle of 3R i.e. Reduce, recycle and reuse. Implementing these principles significantly contribute to environmental sustainability and resource efficiency.</p>
xiii	<p>The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area @ 2500 trees per hectares, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Greenbelt shall be developed before commissioning of the plant. No trees shall be cut while foundation works are carried out.</p>	<p>We are complying the condition, the photo of green belts are attached herein as Annexure No. 9.</p>
xiv	<p>PP proposed to allocate Rs. 11.39 Crores towards extended EMP (CER) which shall be spent as submitted in CER plan for monitorable activities like improvement in soil quality of the study area, skill training of ITI students, up-gradation of schools with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light/solar power support for uninterrupted power supply, skill development for 20 persons each year of nearby villages etc. Further, all the proposed activities under CER shall be completed before the commissioning of</p>	<p>We are complying the condition, the report is attached herein as Annexure No. 10.</p>

Handwritten signature



	the plant in consultation with District Administration.	
xv	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 20% shall be allotted solely for parking purposes with facilities like rest rooms etc.	We are complying the condition.
xvi	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.	We are complying the condition.
xvii	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	<p>Continuous online (24x7) monitoring system for stack emissions is already installed for measurement of flue gas discharge and the pollutants concentrations, and the real time data is transmitted to the CPCB and SPCB server.</p> <p>The stack monitoring is being carried out by EPA approved laboratory, recent analysis report of the stack emission is attached herein as Annexure No. 5. The ambient air monitoring report is also attached Herein as Annexure No. 11.</p>
xviii	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the	<p>We have made the Environmental Management Cell and also have the full-fledged laboratory facilities for monitoring and management</p> <p>Unit for Solid Waste (U.S.W.)</p>

Kap



project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ Managing Director/CEO as per company hierarchy.	environment function, list of environment lab equipment and Environment management cell members is attached herein as Annexure No. 12 & 13.
--	--

A. GENERAL CONDITIONS		
No.	COMPLIANCE	STATUS
i.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measure required, if any.	We will comply the condition.
ii.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	We are complying the condition.
iii.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night	We are complying the condition, the report is attached herein as Annexure No.14.

Handwritten signature



	time).	
iv.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	We are complying the condition, attached as Annexure No. 10
v.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	We are complying the condition, the expenses details of is attached as Annexure No. 15.
vi.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.	We have complied the condition.
vii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company	We are complying the condition.

Handwritten signature



viii.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	We are complying the condition.
xiv	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The Project Proponent informed the public that the project has been accorded environmental clearance by the MoEF&CC. The copy of both Paper advertisements is attached herewith as Annexure No.16.
xv	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	We have complied the condition.
xvi	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT has passed their judgments ordered in the favor of project proponent M/s Bindals Papers Mills Limited.
xvii	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the	We will comply the condition.

Handwritten signature



	project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	
xviii	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	We will comply the condition.
xx	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
xxi	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	We are complying the condition.
xxii	This issue with the approval of the competent authority.	Noted

Handwritten signature





UTTAR PRADESH POLLUTION CONTROL BOARD

Maharshi Dayanand Nagar, Near St. Mary School,
Chakkar Road, Bijnor-246701

Annexure No. 1

ANALYSIS REPORT OF INDUSTRIAL WASTE WATER

Sample Code: UPPCB/R.L./W.W./ 29095344/2024

- Name of Industry : M/s Bindale Paper Mills Ltd, village, Chaugipur
Distt - Gynor.
- Collected by : Mr. Vijay (R.O), Mr. S.K Tripathi (S.A)
- Factory Representative : Mr. Jayender Kumar Giri (D.G.M E.H.S)
- Sampling Point : From R.O Permeate
- Sampling Date & Time : 21/11/2024 , 12:15 PM
- Sampling Method : Grab

S.N	PARAMETERS	RESULTS	STANDARDS
1.	Colour	Colourless	Absent
2.	Odour	Odourless	Absent
3.	pH	7.58	6.5-8.5
4.	T.D.S.	412	1600/2100
5.	B.O.D.	08	20/30
6.	C.O.D.	96	50/150/250
7.	T.S.S.	18	30/100
8.	Specific Parameters		
i.		
ii.		
iii.		

Note: All Values are in mg/l Except pH, Colour & Odour

Qh
27/11/24
JRF
Analyzed by

S.K. Tripathi
27/11/24
Scientific Assistant

Pring
27/11/24
Regional Officer



UTTAR PRADESH POLLUTION CONTROL BOARD

Maharshi Dayanand Nagar, Near St. Mary School,

Chakkar Road, Bijnor-246701

Annexure No. 2


ANALYSIS REPORT OF INDUSTRIAL WASTE WATER

Sample Code: UPPCB/R.L./W.W./BPS - 08 /2024


- Name of Industry : M/s Bindale Paper Mills Ltd, Vill. Changipur Distt. - Bijnor.
- Collected by : Mr. Vicky (R.O.), Mr. S.K. Tripathi (S.A.)
- Factory Representative : Mr. Satyender Kumar Gini (DGM EHS)
- Sampling Point : Outlet of S.T.P
- Sampling Date & Time : 21/11/2024, 12:30 PM
- Sampling Method : Grab

S.N	PARAMETERS	RESULTS	STANDARDS
1.	Colour	Colourless	Absent
2.	Odour	Odourless	Absent
3.	pH	7.83	6.5-8.5
4.	T.D.S.	520	1600/2100
5.	B.O.D.	14	20/30
6.	C.O.D.	40	50/150/250
7.	T.S.S.	25	30/100
8.	Specific Parameters		
i.	Oil & Grease - 07		
	T.C - 700 MPN/100ml		
ii.	F.C - 460 MPN/100ml		
iii.			1000 MPN/100ml

Note: All Values are in mg/l Except pH, Colour & Odour


JRF
Analyzed by


Scientific Assistant


Regional Officer



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

Annexure No. 3

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC035734

VALID FROM 03/10/2022 TO 02/10/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202208000801

Name of the Owner	ANKUR BINDAL	Company Name	BINDALS PAPERS MILLS LTD
Designation पद	Authorized Signatory	कंपनी का नाम	
Company Address कंपनी का पता	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR, UTTAR PRADESH	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	8 KM. BHOPA ROAD MUZAFFARNAGAR	Application Form Serial No.	BJNR0822NBU0007
Date of Submission	22/08/2022	Specimen Signature	

Location Particulars

District	Bijnor	Block	NURPUR
Plot No./Khasra No.	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR	Municipality/Corporation	No
Ward No./Holding No.			CHANDPUR BIJNOR UTTAR PRADESH

Particular of the Proposed Well and Pumping Device

Date of Construction/Sinking of the Well	20/12/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	60.00
Purpose of well	Bulk User	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	10.00

Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	36.00
Date of Energization (In Case of Electric Pump)		20/12/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	36.00	Maximum Allowable Running Hours Per Day:	5.00
Maximum Allowable Annual Extraction of Ground Water:	65700	Recharge Required	65700.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 65700.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0

3	50- 500	1	0	1
4	> 500	2	0	2

- o The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- o For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- o The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :07/10/2022

Place:Bijnor

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC026167

VALID FROM 03/10/2022 TO 02/10/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202208000706

Name of the Owner	ANKUR BINDAL		
Designation पद	Authorized Signatory	Company Name कंपनी का नाम	BINDALS PAPERS MILLS LTD (SUGAR UNIT)
Company Address कंपनी का पता	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR, UTTAR PRADESH	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	8 KM. BHOPA ROAD MUZAFFARNAGAR	Application Form Serial No.	BJNR0822NIN0060
Date of Submission	20/08/2022	Specimen Signature	
Location Particulars			
District	Bijnor	Block	NURPUR
Plot No./Khasra No.	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR	Municipality/Corporation	No
Ward No./Holding No.			CHANDPUR BIJNOR UTTAR PRADESH
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	20/12/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	60.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	10.00

Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	36.00
Date of Energization (In Case of Electric Pump)		20/12/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	36.00	Maximum Allowable Running Hours Per Day:	12.00
Maximum Allowable Annual Extraction of Ground Water:	86400	Recharge Required	86400.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 86400.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0

3	50- 500	1	0	1
4	> 500	2	0	2

- o The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- o For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- o The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - o i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - o ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - o iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - o iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - o v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - o vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - o vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - o i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - o ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :07/10/2022

Place:Bijnor

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC029815

VALID FROM 03/10/2022 TO 02/10/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202208000777

Name of the Owner	ANKUR BINDAL		
Designation पद	Authorized Signatory	Company Name कंपनी का नाम	BINDALS PAPERS MILLS LTD (SUGAR UNIT)
Company Address कंपनी का पता	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR, UTTAR PRADESH	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	8 KM. BHOPA ROAD MUZAFFARNAGAR	Application Form Serial No.	BJNR0822NIN0062
Date of Submission	22/08/2022	Specimen Signature	
Location Particulars			
District	Bijnor	Block	NURPUR
Plot No./Khasra No.	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR	Municipality/Corporation	No
Ward No./Holding No.			CHANDPUR BIJNOR UTTAR PRADESH
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	20/12/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	60.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	10.00

Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	36.00
Date of Energization (In Case of Electric Pump)		20/12/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	36.00	Maximum Allowable Running Hours Per Day:	12.00
Maximum Allowable Annual Extraction of Ground Water:	86400	Recharge Required	86400.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 86400.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0

3	50- 500	1	0	1
4	> 500	2	0	2

- o The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- o For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- o The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :07/10/2022

Place:Bijnor

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC014923

VALID FROM 03/10/2022 TO 02/10/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202208000781

Name of the Owner	ANKUR BINDAL		
Designation पद	Authorized Signatory	Company Name कंपनी का नाम	BINDALS PAPERS MILLS LTD (SUGAR UNIT)
Company Address कंपनी का पता	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR, UTTAR PRADESH	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	8 KM. BHOPA ROAD MUZAFFARNAGAR	Application Form Serial No.	BJNR0822NIN0063
Date of Submission	22/08/2022	Specimen Signature	
Location Particulars			
District	Bijnor	Block	NURPUR
Plot No./Khasra No.	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR	Municipality/Corporation	No
Ward No./Holding No.			CHANDPUR BIJNOR UTTAR PRADESH
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	20/12/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	60.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	10.00

Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	36.00
Date of Energization (In Case of Electric Pump)		20/12/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	36.00	Maximum Allowable Running Hours Per Day:	12.00
Maximum Allowable Annual Extraction of Ground Water:	86400	Recharge Required	86400.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 86400.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0

3	50- 500	1	0	1
4	> 500	2	0	2

- o The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- o For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- o The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :07/10/2022

Place:Bijnor

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC027078

VALID FROM 03/10/2022 TO 02/10/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202208000790

Name of the Owner	ANKUR BINDAL		
Designation पद	Authorized Signatory	Company Name कंपनी का नाम	BINDALS PAPERS MILLS LTD (SUGAR UNIT)
Company Address कंपनी का पता	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR, UTTAR PRADESH	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	8 KM. BHOPA ROAD MUZAFFARNAGAR	Application Form Serial No.	BJNR0822NIN0064
Date of Submission	22/08/2022	Specimen Signature	
Location Particulars			
District	Bijnor	Block	NURPUR
Plot No./Khasra No.	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR	Municipality/Corporation	No
Ward No./Holding No.			CHANDPUR BIJNOR UTTAR PRADESH
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	20/12/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	60.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	10.00

Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	36.00
Date of Energization (In Case of Electric Pump)		20/12/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	36.00	Maximum Allowable Running Hours Per Day:	13.00
Maximum Allowable Annual Extraction of Ground Water:	93600	Recharge Required	93600.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 93600.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0

3	50- 500	1	0	1
4	> 500	2	0	2

- o The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- o For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- o The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :07/10/2022

Place:Bijnor

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC015288

VALID FROM 03/10/2022 TO 02/10/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202208000792				
Name of the Owner	ANKUR BINDAL			
Designation पद	Authorized Signatory	Company Name कंपनी का नाम	BINDALS PAPERS MILLS LTD (Distillery Unit)	
Company Address कंपनी का पता	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR, UTTAR PRADESH		Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	8 KM. BHOPA ROAD MUZAFFARNAGAR		Application Form Serial No.	BJNR0822NIN0065
Date of Submission	22/08/2022		Specimen Signature	
Location Particulars				
District	Bijnor		Block	NURPUR
Plot No./Khasra No.	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR		Municipality/Corporation	No
Ward No./Holding No.				CHANDPUR BIJNOR UTTAR PRADESH
Particular of the Proposed Well and Pumping Device				
Date of Construction/Sinking of the Well	20/12/2022			
Type of Well	Tube Well/Boring		Depth of the Well (In meter)	60.00
Purpose of well	Industrial		Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)				
Type of Pump Used	Submersible		H.P. of the Pump	10.00

Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	36.00
Date of Energization (In Case of Electric Pump)		20/12/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	36.00	Maximum Allowable Running Hours Per Day:	9.00
Maximum Allowable Annual Extraction of Ground Water:	106920	Recharge Required	106920.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 106920.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0

3	50- 500	1	0	1
4	> 500	2	0	2

- o The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- o For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- o The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - o i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - o ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - o iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - o iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - o v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - o vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - o vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - o i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - o ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :07/10/2022

Place:Bijnor

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC018759

VALID FROM 03/10/2022 TO 02/10/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202208000793

Name of the Owner	ANKUR BINDAL		
Designation पद	Authorized Signatory	Company Name कंपनी का नाम	BINDALS PAPERS MILLS LTD (Distillery Unit)
Company Address कंपनी का पता	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR, UTTAR PRADESH	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	8 KM. BHOPA ROAD MUZAFFARNAGAR	Application Form Serial No.	BJNR0822NIN0061
Date of Submission	22/08/2022	Specimen Signature	
Location Particulars			
District	Bijnor	Block	NURPUR
Plot No./Khasra No.	VILLAGE-CHANGIPUR, CHANDPUR, BIJNOR	Municipality/Corporation	No
Ward No./Holding No.			CHANDPUR BIJNOR UTTAR PRADESH
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	20/12/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	60.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	10.00

Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	36.00
Date of Energization (In Case of Electric Pump)		20/12/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	36.00	Maximum Allowable Running Hours Per Day:	8.00
Maximum Allowable Annual Extraction of Ground Water:	95040	Recharge Required	95040.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 95040.00 cubic meter, as specified under the application form within the given time period.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**


Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0

Annexure No.4

BINDALS PAPERS MILLS LIMITED (UNIT-SUGAR AND DISTILLERY) DISTILLERY UNIT Spent wash data & slop data from October 2024 to March 2025							
Month	Ethanol production KL	Spent wash Generation MT	Spent wash Feed in MEE MT	MEE Outlet / Slop Generation MT	Slop incineration MT	Spent wash in lagoon MT	Remarks
Oct-24	0	0	0	0	0	1319	Plant startup on dated 21.11.2024 on C- heavy molasses feed stock. CPU Reject water is being added in lagoon to maintain the continuity in MEE feeding from lagoon.
Nov-24	568.459	6693	6693	1747	1747	0	
Dec-24	2420.29	24122	24122	6983	6983	0	
Jan-25	2794.7	25300	24073	7152	7152	1227	
Feb-25	2322.27	21300	20288	5841	5841	1012	
Mar-25	2696.17	24310	22600	6618	6618	1710	
Total	10801.889	101725	97776	28341	28341	5268	


 Authorized Signatory
 Bindals Papers Mills Ltd. (Unit Sugar & Distillery)
 Vill. Changbani
 (U.P.)



REGIONAL LABORATORY BIJNORE
UTTAR PRADESH POLLUTION CONTROL BOARD

Maharshi Dayanand Nagar, Near St. Merry School,
Bijnor

Stack Emission Test Report

Annexure No. 5

Ref No. 29095397/Bijnore/2024

Date: 27/11/2024

- 1- Name & Address of Industry: Bindals paper mills Ltd. Vill- Changipur , Bijnor
- 2- Sample Collected By: Mr. S.K.Tripathi (S.A.), Subash Chandra (J.R.F.)
- 3- Date of Monitoring: 21/11/2024
- 4- Source of Sampling : 25 TPH Boiler
- 5- Stack attached to: 25 TPH Boiler
- 6- Stack Height: 72 mtr
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 25 TPH
- 9- Fuel used: Baggasse, slop
- 10- Quantity of Fuel used: 94 ton Baggasse and 288 ton slop
- 11- Flue Gas Velocity: 8.4 m/s
- 12- Air Pollution Control Device: ESP
- 13- Other remarks (if any): -
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate matter	mg/Nm ³	44	50mg/Nm ³
2	Sulphur dioxide	mg/Nm ³	22	600mg/Nm ³
3	Oxide of Nitrogen	mg/Nm ³	64	300mg/Nm ³

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Abhishek Rajput JRF]

Authorised Signatory-
S K Tripathi (SA)

Regional Officer



REGIONAL LABORATORY BIJNORE
UTTAR PRADESH POLLUTION CONTROL BOARD

Maharshi Dayanand Nagar, Near St. Merry School,
 Bijnor

Stack Emission Test Report


Ref No. 29095266/Bijnore/2024

Date: 27/11/2024

- 1- Name & Address of Industry: Bindals paper mills Ltd. Vill- Changipur , Bijnor
- 2- Sample Collected By: Mr. S.K.Tripathi (S.A.), Subash Chandra (J.R.F.)
- 3- Date of Monitoring: 21/11/2024
- 4- Source of Sampling : 100 TPH Boiler
- 5- Stack attached to: 100 TPH Boiler
- 6- Stack Height: 72 mtr
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 100 TPH
- 9- Fuel used: Baggasse
- 10- Quantity of Fuel used: 1090 MTD
- 11- Flue Gas Velocity: 8.2 m/s
- 12- Air Pollution Control Device: ESP
- 13- Other remarks (if any): -
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate matter	mg/Nm ³	46	50mg/Nm ³
2	Sulphur dioxide	mg/Nm ³	24	Not specified
3	Oxide of Nitrogen	mg/Nm ³	68	Not specified


Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.


 Analysed by- 27-11-24
 [Abhishek Rajput JRF]

Authorised Signatory-

 S K Tripathi (SA)
 27/11/24


 Regional Officer
 27/11/24



Bindals Papers Mills Limited

An ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Company

MANUFACTURERS OF WRITING & PRINTING PAPER, SUGAR & ETHANOL

Paper Unit- 8th Km., Bhopa Road, Muzaffarnagar-251 001 UP, INDIA

Sugar Unit- Vill. Changipur, Tehsil Chandpur, Distt. Bijnor-246734 (U.P.)

Distillery Unit- Vill. Changipur, Tehsil Chandpur, Distt. Bijnor-246734 (U.P.)

CIN : U21011DL2006PLC148926 • GSTIN : 09AADCBO282B1Z6



www.bindalpapers.com

Paper Unit- +91-131-2468381, 2468382, +91-9917055355

E-mail- info@bindalpapers.com

Sugar & Distillery Unit- +91-131-2468381, 2468382, +91-9917055355

E-mail- sugarprojects@bindalpapers.com

Annexure No.6

Dated. 22.03.2025

TO WHOM IT MAY CONCERN

This is certify that I have examined 217 (Two hundred seventeen only) employees of M/s Bindals Papers Mills Limited, Village-Changipur, Block- Noorpur, District - Bijnor (UP) and found them mentally and physically fit without any contagious / occupational disease.

List of Examined employees is enclosed herein as **Annexure-A**.

Dr. Parvez Malik
M.B.B.S., PGDUS
Reg No.-69299



Regd. Office : NP-151 B, Maurya Enclave, Pitampura, Delhi-110088, INDIA

List of Employees as on 22.03.2025

	E.Code	Name	Fathers Name	Designation	DOB	DOJ
1	SD0001	SHASHI GUPTA	M.L.GUPTA	PRESIDENT	14.11.1957	13.11.2021
2	SD033	MUKESH KUMAR MITTAL	OM PRAKASH GUPTA	SR.VICE PRESIDENT(TECH)	15.05.1965	15.05.2023
3	SD003	JITENDRA KUMAR	MAHI PAL SINGH	VICE PRESIDENT(CANE)	04.10.1973	30.04.2022
4	SD091	SATYENDRA KUMAR	MINTA PAL GIRI	ADDL.GENERAL MANAGER(EHS & DISTILLER)	10.03.1981	20.07.2023
5	SD032	PAWAN KUMAR GUPTA	RAVENDRA KUMAR GUPTA	DY.GENERAL MANAGER (PROD.)	07.01.1983	02.05.2023
6	SD069	KAMAL KUMAR KAUSHIK	JAGDISH PRASAD	DY.GENERAL MANAGER(ELECT)	02.09.1973	12.07.2023
7	SD050	VINEET CHAUDHARY	RAJ SINGH CHAUDHARY	ASSTT.GENERAL MANAGER(ENGG)	29.10.1979	10.07.2023
8	SD0424	INDERVEER SINGH	S.P.SINGH	CHIEF MANAGER CANE	14.07.1976	21.11.2024
9	SD052	SOMVIR SINGH	PEETAM SINGH	CHIEF CANE MANAGER	17.06.1981	23.06.2023
10	SD060	ASHOK KUMAR	RAM JI LAL	CHIEF ACCOUNTANT	05.02.1966	26.06.2023
11	SD0193	RAJEEV MOHAN CHAUHAN	RAJ PAL SINGH	CHIEF MANAGER(BH)	01.07.1972	15.09.2023
12	SD051	SARUR ALAM ZAIDI	M.H.ZAIDI	SR. CANE MANAGER	03.07.1973	20.06.2023
13	SD053	JOGINDER SINGH	Parakh Lal Singh	SR. CANE MANAGER	01.05.1971	24.06.2023
14	SD0198	RAKESH YADAV	BAREY LAL YADAV	SR.MANAGER HR	16.12.1975	11.09.2023
15	SD078	SB SHARMA	HAZARI PRASAD	SR.MANAGER IT	15.12.1980	20.06.2023
16	SD082	NEERAJ KUMAR	MOOL CHANDRA SHARMA	MANAGER (Q.C.)	20.10.1974	01.07.2023
17	SD0263	AMIT RAJVANSHI	M.K.RAJVANSHI	MANAGER	22.03.1980	03.10.2023
18	SD005	ARUN KUMAR SINGH	DURG VIJAY SINGH	MANAGER	10.08.1987	13.06.2022
19	SD008	VIPIN KUMAR	BAL RAJ SINGH	MANAGER CANE	01.07.1979	01.10.2022
20	SD0248	DHARMENDRA KUMAR	RAM KISHAN SINGH	ADDL.MANAGER	10.08.1981	28.09.2023
21	SD0195	BHUPENDRA SINGH	DHEER SINGH	ADDL.CANE MANAGER	08.03.1974	09.09.2023
22	SD013	RAJVEER SINGH	GAJENDRA SINGH	DEPUTY CANE MANAGER	15.03.1973	05.12.2022
23	SD095	SANJEEV KUMAR KHOKHAR	MAHENDER SINGH	DEPUTY CANE MANAGER	21.12.1973	25.07.2023
24	SD0141	ARJUN BALIYAN	SUBHASH CHND	DEPUTY CANE MANAGER	20.07.1988	19.08.2023
25	SD0288	JAYANT KUMAR	MEM PAL SINGH	DY.MANAGER(ELECT.)	03.04.1983	13.10.2023
26	DD031	AMIT KUMAR SINGH	KAMAL DEV SINGH	DY.MANAGER(ELECT)	27.07.1986	08.09.2023
27	SD0439	DHARMENDRA KUMAR	RATI RAM	DY.MANAGER(ELECT)	25.06.1981	14.12.2024
28	SD0101	DURGESH RANJAN PANDEY	RAVINDRA KUMAR PANDEY	ASSTT.MANAGER	02.01.1994	07.08.2023
29	SD0247	KULDEEP KUMAR	RAMAKANT	ASSTT.MANAGER	16.05.1995	28.09.2023
30	SD0379	HARI OM	RAJ KUMAR	ASSTT.MANAGER	01.06.1991	01.02.2024
31	SD0177	SHIV KUMAR	SURENDRA SINGH	ASSTT.MANAGER(Q.C.)	08.07.1992	01.09.2023
32	SD098	MANJEET KUMAR TYAGI	RAM KISHOR TYAGI	ASSTT.MANAGER	04.07.1988	01.08.2023
33	SD0226	SHANTANU BHARDWAJ	RAVI DUTT SHARMA	DY.MANAGER(POWER PLANT)	15.06.1991	22.09.2023
34	SD009	NISHRAW CHAUHAN	SHRAVAN CHAUHAN	ASSTT.MANAGER(BOILER)	19.04.1995	13.06.2022
35	SD0441	KAPIL KUMAR	RAMESH NAGAR	ASSTT.MANAGER(POWER PLANT)	28.04.1992	24.12.2024
36	SD0446	PRADEEP	HOSHIYAR SINGH	ASSTT.MANAGER(O.M)	15.10.1994	06.01.2025
37	SD0151	ASHU BANSAL	RAKESH BANSAL	ASST. MANAGER(ELETC)	30.10.1986	25.08.2023
38	SD0319	NIRAJ KUMAR SINGH	SURENDRA PRASAD SINGH	ASSTT.MANAGER (Mill House)	16.05.1973	26.10.2023
39	SD0359	ROHIT KUMAR	SANJEEV KUMAR	ASSTT.MANAGER(DESIGN)	04.09.1993	16.11.2023
40	SD0376	VISHAL CHAUDHARY	DEVENDRA SINGH	ASSTT.MANAGER(MILL)	21.03.1995	28.12.2023
41	SD0272	AJAY PRATAP SINGH	HARVEER SINGH	ASSTT.MANAGER(INST.)	04.10.1995	05.10.2023
42	SD067	RAJ BAHADUR SINGH	DHARAM VIR SINGH	ASST.MANAGER CANE	10.07.1971	26.06.2023
43	SD047	RAVINDER KUMAR	MAHIPAL SINGH	ASSTT. CANE.MANAGER	01.09.1995	03.07.2023
44	SD0295	AJAI KUMAR	MAHENDRAPAL SINGH	ASSTT.MANAGER/shift incharge CANE	15.03.1975	16.10.2023
45	1910	ABHISHEK RANA	RAKESH RANA	OFFICER-HR	15.01.1994	17.10.2022
46	SD024	SUMIT GARG	PAWAN KUMAR GARG	STORE INCHARGE	19.02.1982	22.04.2023
47	SD0201	ANUJ KUMAR	SANGRAM SINGH	CHIEF SECURITY OFFICER	19.07.1982	22.04.2023
48	SD0120	SUMIT KUMAR	RANVEER SINGH	SR.CANE OFFICER	06.08.1986	08.08.2023
49	SD0399	NARENDRA SINGH	MAHENDRA SINGH	SR.CANE OFFICER	01.07.1976	16.10.2024



List of Employees as on 22.03.2025

	E.Code	Name	Fathers Name	Designation	DOB	DOJ
50	SD012	AJAY PRATAP SINGH	HARI RAJ SINGH	SR.ADDL.CANE OFFICER	18.07.1982	05.12.2022
51	SD049	JAI KUMAR	LAL BAHADUR SINGH	CANE OFFICER	05.10.1979	21.06.2023
52	SD0121	PRADEEP KUMAR	VEER BHAN SINGH	CANE DEVELOPMENT OFFICER	06.01.1986	17.08.2023
53	SD004	AMIT KUMAR MALIK	ANIL KUMAR MALIK	CANE OFFICER	20.06.1985	01.09.2022
54	SD055	NISHANT TYAGI	BRIJ MOHAN TYAGI	SR.ENGINEER (INST.)	17.01.1995	17.06.2023
55	SD0377	ADITYA CHAUHAN	UTTAM SINGH	OFFICER	13.04.1995	01.12.2023
56	SD0368	MOHIT JALAN	SAT NARAYAN SINGH	OFFICER (INST.)	10.04.1988	02.12.2023
57	SD0334	SUMIT KUMAR	RAJ KUMAR	ENGINEER (MILL)	08.03.1995	02.11.2023
58	SD066	BADRI VISHAL SHUKLA	HARENDRA SHUKLA	ASSTT.ENGINEER(MECH)	15.08.1996	01.09.2024
59	SD0351	TUSHAR THAKUR	YOGENDRA PAL SINGH	OFFICER (ENGG)	21.11.1994	01.01.2025
60	SD0111	DEVENDRA PAL VERMA	SAMAY SINGH	O.S. (RETAINER)	08.02.1960	07.08.2023
61	SD0378	MOHIT KUMAR	NAVNEET KUMAR	ASSTT.OFFICER(SALES & ACCOUNTS)	01.01.1996	26.12.2023
62	SD093	AMIT KAVIRAJ	VIMAL KAVIRAJ	ASSTT. ACCOUNTS	05.01.1994	21.07.2023
63	SD0209	KAMAL RATHI	OM PRAKASH	CASHIER	16.03.1985	01.09.2023
64	SD0210	SHASHI KANT SHARMA	YOGESH KUMAR	ASSTT.ACCOUNT	14.11.1992	01.09.2023
65	SD0417	PIRINS KUMAR SHARMA	YASH PAL SHARMA	ASSTT.ACCOUNT	08.03.1998	12.11.2024
66	SD0437	DEEPAK KUMAR	VEER PAL SINGH	ASSTT.ACCOUNT	09.01.1993	01.12.2024
67	SD0255	GAURAV KUMAR SOOD	SHIV CHARAN SINGH	SANITORY & HOSPILITY SUPERVISOR	17.04.1991	01.09.2023
68	SD0447	PAWAN KAMTI	HARIVANSH KAMTI	COOK (TRAINEE)	01.01.1991	01.01.2025
69	SD0254	BALRAMHARE PANDEY	SHIV PRASAD PANDEY	COMPOUNDER	11.07.1994	01.09.2023
70	SD0375	PRIYANSHU KUMAR	PAWAN KUMAR	COMPOUNDER	10.07.2002	18.12.2023
71	SD0443	VAIBHAV CHAUHAN	SUSHIL KUMAR	TRAINEE PHARMACIST	31.07.2005	02.12.2024
72	SD007	RAHUL KUMAR	SOM PAL SINGH	ASSTT.CANE DEVELOPMENT OFFICER	18.09.1992	01.10.2022
73	SD006	THAKUR RAVINDER PRATAP	LAKHPAT SINGH	ASSTT. CANE OFFICER	08.03.1991	01.10.2022
74	SD026	UDAY RAJ SINGH	JAI PAL SINGH	ASSTT. CANE OFFICER	30.12.1972	11.04.2023
75	SD096	SUDHIR KUMAR	TEJPAL SINGH	ASST.CANE OFFICER	20.05.1976	11.07.2023
76	SD0144	GAURAV MALIK	RAJVIR SINGH	ASST. CANE OFFICER	15.08.1994	24.08.2023
77	SD083	ANKIT KUMAR KATARIYA	CHANDRAPAL SINGH	ASST.C.D.O	10.09.1986	05.07.2023
78	SD075	PRASHANT KUMAR	BHUPENDRA SINGH	ASST.C.D.O	18.05.2000	01.07.2023
79	SD059	MOHIT SHARMA	GEETA RAM SHARMA	ASST. C.D.O	10.08.1996	05.07.2023
80	SD0452	PAVAN KUMAR	INDRA PAL SINGH	ASST. C.D.O	25.06.1995	20.01.2025
81	SD0453	ARUN KUMAR	SURESH CHANDRA	ASST. C.D.O	05.06.1985	27.02.2025
82	SD074	GAURAV KUMAR	PATRAM SINGH	ASSTT.CANE OFFICER	05.07.1992	01.10.2024
83	SD0110	DHARMENDRA SINGH	JASRAM SINGH	ASSTT.CANE OFFICER(OFFICE)	30.06.1976	01.10.2024
84	SD0394	AJAY KUMAR SINGH	OMKAR SINGH	OFFICE SUPRITENDENT	01.03.1988	03.10.2024
85	SD0442	MEGH RAJ SINGH	HARI SINGH	CANE ACCOUNTANT(RETAINER)	28.02.1959	06.12.2024
86	SD0307	DEVRAJ SINGH	DILE RAM SINGH	PA TO OCCUPIER	15.12.1996	19.10.2023
87	SD097	DEEPWANT SINGH	PARAM SINGH	CANE CLERK	15.07.1982	05.07.2023
88	SD0133	NARENDRA SINGH	MAHIPAL SINGH	DAAK RUNDER	05.08.1999	21.08.2023
89	SD0194	MOHIT KUMAR	BALRAJ	W/B FITTER	01.10.1998	11.09.2023
90	SD0172	RAJNEESH KUMAR	NARENDRA SINGH	W/B FITTER	15.11.1986	01.09.2023
91	SD0246	PUNEET KUMAR	YASH PAL SINGH	CANE STORE CLERK	10.08.1987	16.09.2023
92	SD0256	HARIOM SINGH	KHAJAN SINGH	W/B CLERK	05.01.1989	01.09.2023
93	SD0148	PANKAJ SHARMA	DHARAMVEER SHARMA	CANE CLERK	19.07.1999	01.09.2024
94	SD0219	PRAVENDRA KUMAR	DHARAM PAL SINGH	DRIAGE CLERK	20.06.1977	18.09.2023
95	SD0317	VIPIN KUMAR	JAYPAL SINGH	TRAINEE FITTER HELPER	10.08.1994	25.09.2023
96	SD0190	ROHIT KUMAR	CHHOTE SINGH	TRAINEE A.C.O	25.09.1994	01.09.2023
97	SD0438	RAJAT KUMAR	VED PAL SINGH	TRAINEE A.C.O	20.09.1994	01.09.2023
98	SD0448	AAKASH KUMAR	NARESH KUMAR	TRAINEE A.C.O	08.05.1995	01.01.2025
99	SD015	DHARAM SOM GANDHI	RISHIPLA SINGH	ASSTT.OFFICER	02.10.1995	01.09.2024



DR. PRADEEP KUMAR
M.B.S. P.B.S.
Reg No 50399

List of Employees as on 22.03.2025

	E.Code	Name	Fathers Name	Designation	DOB	DOJ
100	SD022	GAURAV MALIK	SATYABEER SINGH MALIK	JUNIOR ENGINEER	13.11.1997	01.02.2024
101	SD0310	HEMANT MALIK	AJAY KUMAR MALIK	SUPERVISOR CIVIL	16.03.1993	08.10.2023
102	SD014	NAMEE SHARAN	OM PRAKASH SINGH	SUPERVISOR CIVIL	10.08.1980	19.12.2022
103	SD0389	SAHIL	MOHD.SAPEEK AHAMAT	PLUMBER	05.07.1998	13.08.2024
104	SD0293	JAYVEER SINGH	MEGHAJ SINGH	ETP INCHARGE	14.03.1993	16.10.2023
105	SD0282	SANDEEP KUMAR	RAKESH KUMAR	ETP CHEMIST	18.08.1986	10.10.2023
106	SD0215	AKHILESH KUMAR	KAMAL SINGH	ETP CHEMIST	12.11.1988	05.09.2023
107	SD0345	NITESH KUMAR	SARVESH KUMAR	SUPERVISOR (FIRE & SAFETY)	05.09.1996	04.11.2023
108	SD0119	MUKUL PRATAP SINGH	BHUPENDRA SINGH	EHS SUPERVISOR	01.11.1987	17.08.2023
109	SD0218	SUDHANSHU CHAUDHARY	RAKESH KUMAR	EHS SUPERVISOR	10.01.1992	16.09.2023
110	SD0385	GAURAV KUMAR	KRISHNA KUMAR	FIRE SUPERVISOR	01.01.1988	03.06.2024
111	SD0339	SHUBHAM CHAUDHARY	OMPAL SINGH	FITTER HELPER	07.09.1991	01.01.2025
112	SD0325	AJAY KUMAR	CHOTE SINGH	PAN FITTER(B/H)	20.09.1968	28.10.2023
113	SD0397	SANJAY KUMAR	YASHPAL SINGH	ASSTT.ENGINEER(MECH)	20.03.1998	16.10.2024
114	SD039	GAURAV KUMAR	JASWANT SINGH	ASSTT.ENGINEER(MECH)	15.08.1988	01.09.2024
115	SD0251	DEEPAK KUMAR	JAY KUMAR SINGH	HEAD FITTER(B/H)	18.03.1985	29.09.2023
116	SD0118	DINESH YADAV	PARSADI YADAV	1ST FITTER(B/H)	20.08.1973	17.08.2023
117	SD0279	PREM SINGH	SUNHERA SINGH	FITTER(B/H)	05.07.1970	09.10.2023
118	SD0314	VIRENDRA SINGH	VEER PAL SINGH	FITTER(B/H)	01.06.1978	23.10.2023
119	SD0222	DEVID KUMAR	LAKHAN SINGH	FITTER(B/H)	03.07.1984	20.09.2023
120	SD0411	AJAY KUMAR	KUNWAR SINGH	FITTER (C/H)	08.06.1996	28.10.2024
121	SD0349	MOHD. SHAHJAD	MOHD. YAMEEN	WELDER(B/H)	26.06.1986	07.11.2023
122	SD0242	ANIL KUMAR	DAL CHANDRA	WELDER(B/H)	01.11.1975	26.09.2023
123	SD056	SANJAY KUMAR SHARMA	RAMAVTAR SHARMA	WELDER(B/H)	01.01.1997	22.06.2023
124	SD0265	KHEMPAL SINGH	RAM SINGH	KHALASI(B/H)	12.10.1970	03.10.2023
125	SD0329	RAMNATH SINGH	MUNGA SINGH	KHALASI (B/H)	20.07.1981	01.11.2023
126	SD0331	TEJPAL SINGH-I	MANGU SINGH	KHALASI (B/H)	01.01.1987	01.11.2023
127	SD0273	SUNIL VARMA	RAMPAL VERMA	KHALASI(B/H)	06.07.1980	05.10.2023
128	SD0400	CHANDRA SHEKHAR	BHURE SINGH	KHALASI(B/H)	01.01.1981	16.10.2024
129	SD0274	DHARAM PAL SINGH	HARI SINGH	SBA CUM DG SET OPTR	01.01.1989	06.10.2023
130	SD0387	RAVI KUMAR	MAHENDRA SINGH	SBA CUM DG SET OPTR	25.10.1993	27.07.2024
131	SD0416	JITENDRA KUMAR	VIRENDRA PAL SINGH	SBA CUM DG SET OPTR	02.07.1997	04.11.2024
132	SD0280	VEERPAL SINGH	RAJ PAL SINGH	FOREMAN(ELECTRICAL)	07.07.1972	10.10.2023
133	SD0103	CHAND KUMAR	HARI SINGH	SR. ELECTRICIAN	03.10.1982	11.08.2023
134	SD0414	PAWAN KUMAR	HARSUVROOP SINGH	SR. ELECTRICIAN	10.07.1985	04.11.2024
135	SD0335	PANKAJ BHARDWAJ	VINOD KUMAR SHARMA	SR.ELECTRICIAN	24.01.1992	01.11.2023
136	SD0423	ARVIND KUMAR	VEER SINGH	SR.ELECTRICIAN	01.02.1999	15.11.2024
137	SD038	AMIT KUMAR SHARMA	TRILOK NATH SHARMA	ELECTRICIAN	14.01.1992	08.06.2023
138	DD075	CHANDAN GUPTA	MOHIT GUPTA	ELECTRICIAN	02.07.1997	06.12.2024
139	SD0126	NEERAJ KUMAR SHARMA	YOUNGESH KUMAR	WIREMAN	20.07.1988	18.08.2023
140	SD0320	BHUVNESH SHARMA	SURENDRA SHARMA	WIREMAN	05.07.1991	27.10.2023
141	SD028	ARVIND KUMAR YADAV	DINESH YADAV	JUNIOR ENGINEER(ELECT)	19.07.1996	01.09.2024
142	SD020	ANKAJ KUMAR	DAL CHANDRA SINGH	ELECTRICAL HELPER	01.01.1989	01.09.2024
143	SD021	NAVNEET KUMAR	DAL CHANDRA SINGH	ELECTRICAL HELPER	01.01.1992	01.09.2024
144	SD0343	NITIN SINGH	SHISH PAL SINGH	ELECTRICAL HELPER(S)	01.08.1993	01.01.2025
145	SD0116	NARENDRA KUMAR	RAM KUMAR SINGH	SR. TECHNICIAN(INST.)	19.07.1988	16.08.2023
146	SD0261	ARJUN SHARMA	ANIL SHARMA	INSTRUMENT TECHNICIAN	02.06.2000	16.08.2023
147	SD0362	PRAVESH KUMAR	NARAYAN SINGH	INSTRUMENT TECHNICIAN	01.01.1990	01.09.2024
148	SD0374	SAJAN SINGH	MADAN PAL SINGH	INSTRUMENT HELPER	05.09.1989	01.02.2025
149	SD0106	ANUJ KUMAR	VIRENDRA SINGH	FOREMAN(Mill)	25.01.1984	16.08.2023



List of Employees as on 22.03.2025

E.Code	Name	Fathers Name	Designation	DOB	DOJ
SD0105	JITENDRA SINGH	BALAY SINGH	HEAD FITTER(MILL)	25.03.1973	04.09.2023
SD0358	ANKUSH KUMAR	POORAN CHAND	HEAD FITTER(MILL)	20.09.1990	16.11.2023
SD0445	RAM KISHOR	SAWARIYA	FITTER(MILL)	01.01.1991	02.01.2025
SD0183	RAVINDRA KUMAR	DEEP CHANDRA	FITTER(MILL)	10.09.1986	08.09.2023
SD0324	VIRENDRA KUMAR	MANGOO SINGH	FITTER(MILL)	10.03.1973	28.10.2023
SD0262	RAJENDRA KUMAR SHARMA	BRAJLAL SHARMA	CRANE FITTER (MILL)	10.05.1988	03.10.2023
SD0131	SUBHASH YADAV	RAM PRASAD YADAV	WELDER (MILL)	10.06.1973	21.08.2023
SD0259	MAHENDRA SRIVASTAVA	CHANDRABHAN SRIVAS	WELDER (MILL)	30.08.1990	03.10.2023
SD0237	UMESH KUMAR	AMAR SINGH	WELDER (MILL)	01.08.1979	25.09.2023
SD0115	JAMADAR ANSARI	MAKDUM	KHALASI(MH)	15.04.1977	09.08.2023
SD0180	VIRENDRA YADAV	LAL BIHARI	KHALASI(MH)	01.01.1980	04.09.2023
SD0112	MOHIT KUMAR	SURESH KUMAR	FITTER HELPER(M/H) Ankush Fitter	20.01.1993	07.08.2023
SD0137	SACHIN PANWAR	ANAND PAL	CANE UNLOADER OPTR(S)	01.07.1999	17.08.2023
SD0236	HARVEER SINGH	OM PRAKASH	CANE UNLOADER OPTR(S)	05.01.1976	25.09.2023
SD0264	ARJUN KUMAR	GENDA SINGH	CANE UNLOADER OPTR(S)	10.07.1999	03.10.2023
SD0123	KALU SINGH	MANGAT SINGH	CANE UNLOADER OPTR(S)	06.07.1989	17.08.2023
SD0181	KHILENDRA SINGH	CHHOTE SINGH	CANE UNLOADER OPTR(S)	15.02.1984	04.09.2023
SD0136	ANKIT KUMAR-I	RISHI PAL	CANE UNLOADER OPTR(S)	04.05.1994	08.08.2023
SD0107	BHUPENDRA KUMAR	DHARAMPAL SINGH	CUO/TRUCK TRIPLER OPERATOR	15.03.1991	14.08.2023
SD042	MUNESH KUMAR	RAVI RAJ SINGH	TRUCK TRIPLER OPERATOR	15.07.1982	12.06.2023
SD0312	PRADEEP KUMAR	ADITYAVEER SINGH	OILMAN(MILL)	10.06.1977	23.10.2023
SD0189	ANWAR AHMAD	REHMAT ALI	TURNER CUM MACHINIST	18.08.1977	06.09.2023
SD0383	JITENDRA KUMAR	DUDDH PRAKASH	TURNER CUM MACHINIST	12.12.1983	15.05.2024
SD0396	VIKASH KUMAR	DEVENDRA KUMAR	TURNER CUM MACHINIST	14.03.1991	16.10.2024
SD0270	KAPIL KUMAR	NRIPENDRA SINGH	SR.ENGINEER(PP)/SHIFT I/C	30.01.1994	03.10.2023
SD092	HARSHPAL SINGH	LEKHRAJ SINGH	DCS ENGINEER-100TPH	20.01.1996	21.07.2023
SD0243	SURENDRA KUMAR KAUSHIK	KRISHNA PAL	DCS OPERATOR -100TPH	20.07.1980	27.09.2023
SD061	MUNESH KUMAR	RAVI RAJ SINGH	DCS ATTENDENT-100 TPH	01.06.1996	13.06.2023
SD0276	BIJENDRA KUMAR SHARMA	BRIJ PAL SHARMA	HEAD FITTER(POWER PLANT)	01.02.1982	09.10.2023
SD0277	LAKHME CHNADRA	HARPAL SINGH	SHIFT FITTER(POWER PLANT)	02.07.1977	09.10.2023
SD0415	CHANDRA PAL SINGH	BHARAT SINGH	SHIFT FITTER(POWER PLANT)	08.07.1973	04.11.2024
SD0100	VIPIN KUMAR	TEJPAL SINGH	FIREMAN-100TPH	01.01.1991	09.08.2023
SD099	BHOODEV SINGH	RAMPAL SINGH	FIREMAN-100TPH	05.08.1977	09.08.2023
SD0395	VIJENDRA SINGH	AMAR SINGH	FIREMAN-25TPH	04.04.1995	07.10.2024
SD0393	VIRENDRA KUMAR	OM PRAKASH	FEED PUMP OPERATOR	11.11.1988	03.10.2024
SD0340	VARUN KUMAR	SUKH LAL SINGH	WELDER(M/H)	05.06.1989	01.02.2025
SD0109	BHUPENDRA SINGH	HARBIR SINGH	TURBINE FOREMAN	05.07.1986	09.08.2023
SD0212	HARENDRA KUMAR	LAKSHENDRA KUMAR	TURBINE OPERATOR	16.05.1990	16.09.2023
SD0299	ANUJ KUMAR	DHEER SINGH	TURBINE OPERATOR	12.06.1989	17.10.2023
SD0257	SUSHANT KUMAR	SATYA PAL SINGH	TURBINE OPERATOR	06.08.1996	06.09.2023
SD0267	DINESH KUMAR KAUSHIK	RAMPAL SHARMA	WTP/RO INCHARGE	03.04.1971	03.10.2023
SD0104	AVDHESH SHARMA	ADESH KUMAR SHARMA	DM.PLANT OPTR	14.05.1983	09.08.2023
SD0202	AMANDEV	SUNIT KUMAR	WTP CHEMIST CUM OPERATOR(S)	01.07.1996	13.09.2023
SD0140	RAVI KUMAR VIKAL	LOKESH KUMAR	WTP HELPER (S)	19.05.1989	01.02.2025
SD0229	MANEES KUMAR	MAHESH KUMAR	ASSTT.EXECUTIVE-HR	12.08.1996	01.10.2024
SD030	ANUJ KUMAR	RAJENDRA SINGH	TRAINEE ADMIN	15.08.1994	01.04.2024
SD0150	ADITYA KUMAR	HARENDRA KUMAR	HARDWARE ENG	01.07.1992	25.08.2023
SD088	MOHIT KUMAR	VIPIN KUMAR	ASSTT.OFFICER (W/B) Changpur Dist. Chauri	26.12.1993	01.09.2024
SD0323	VINAYAK TYAGI	SATEESH TYAGI	W/B OPERATOR	18.12.2000	23.10.2023
SD0268	DUSHYANT KUMAR	CHNADRA SHEKHAR SINGH	GATE W/B OPERATOR	05.09.1992	03.10.2023

List of Employees as on 22.03.2025					
	E.Code	Name	Fathers Name	Designation	
					DOB DOJ
200	SD0167	ANKUR KUMAR CHAUHAN	CHANDRA BHAN SINGH	LAB CHEMIST(S)	05.05.1995 01.09.2023
201	SD048	SANJAY PRASAD	NAND KISHOR RAY	PAN INCHARGE	16.09.1986 10.07.2023
202	SD0188	MUKESH KUMAR GOEL	D L GOEL	PAN INCHARGE	19.08.1972 01.09.2023
203	SD0342	MUNIVAR KUMAR DUBEY	SHESH NATH DUBEY	PAN INCHARGE	12.07.1969 07.11.2023
204	SD0166	RAJEEV YADAV	OM PRAKASH SINGH	CENTRIFUGAL MATE	01.01.1987 01.09.2023
205	SD064	RAJAT CHOUDHARY	RAMESH SINGH	FFE(DCS OPERATOR)	17.08.1996 17.06.2023
206	SD063	DIVYA PRAKASH SINGH	AMBARIKA SINGH	FFE(DCS OPERATOR)	15.06.1996 17.06.2023
207	SD062	RINKU KUMAR	HAR PAL SINGH	FFE(DCS OPERATOR)	13.07.1996 17.06.2023
208	SD0352	VARUN GARG	RAJ KUMAR GARG	ASSTT.OFFICER(SALES)	12.07.1997 09.11.2023
209	SD0308	ABHISHEK BHARDWAJ	ARUN KUMAR	GODOWN ASSISTANT	12.10.1995 19.10.2023
210	SD0433	HIMANSHU KUMAR	RAJENDRA KUMAR	ASSTT.SUGAR GODOWN	10.07.1988 01.12.2024
211	SD0432	ANKUR PUNDIR	MUKESH PUNDIR	ASSTT.SUGAR GODOWN	07.11.1995 01.12.2024
212	SD0365	SHASHANK CHAUHAN	KUSHALPAL SINGH	ASSTT.SUGAR GODOWN	02.07.1999 01.03.2025
213	SD0382	RAJ KUMAR	SURENDRA SINGH	EXECUTIVE	05.07.1992 24.04.2024
214	SD0227	NIKKI KUMAR	MUKESH KUMAR	STORE ASSTT.	30.08.1985 03.10.2023
215	SD036	RAJEEV KUMAR	BHARAT SINGH	STORE ASSTT.	07.02.1980 01.09.2024
216	SD0381	ASHU KUMAR	SATISH CHAND	STORE ASSTT.	10.09.1999 01.09.2024
217	SD0391	NEERAJ KUMAR	AVDESH KUMAR	STORE BOY	01.01.1988 01.09.2024



Dr. Parvez Malik
M.B.B.S., PGDUS
Reg. No. 69299

प्रारूप-छ (संलग्नक-6)

अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

यूआईडी संख्या: UPFS/2023/99463/BJN/BIJNOR/631/JD

दिनांक: 02-11-2023

Annexure No. 4

प्रमाणित किया जाता है कि मैसर्स **BINDALS PAPERS MILLS LTD UNIT SUGAR AND DISTILLERY AT VILL CHANGIPUR TEH CHANDPUR DISTT BIJNOR** (भवन/प्रतिष्ठान का नाम) पता -, **NOORPUR-MORADABAD TO VILL CHANGIPUR ROAD, NOORPUR** तहसील - **CHANDPUR**, प्लॉट एरिया **169091.41 sq.mt**, कुल कवर्ड एरिया **30051.91** (वर्ग मीटर), ब्लॉकों की संख्या - **2** जिसमें

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
DISTILLERY UNIT	4	0	14.90 mt.
SUGAR UNIT	2	0	14.90 mt.

है। भवन का अधिभोग मैसर्स **BINDALS PAPERS MILLS LTD UNIT SUGAR AND DISTILLERY AT VILL CHANGIPUR TEH CHANDPUR DISTT BIJNOR** द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक ब्यूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण द्वारा दिनांक **05-11-2023** को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री **MAYANK BINDAL** के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्रुत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी **Industrial** के अन्तर्गत वैधता तिथि **09-11-2023** से **08-11-2026** तक **3** वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मैसर्स **BINDALS PAPERS MILLS LTD UNIT SUGAR AND DISTILLERY AT VILL CHANGIPUR TEH CHANDPUR DISTT BIJNOR** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मैसर्स **BINDALS PAPERS MILLS LTD UNIT SUGAR AND DISTILLERY AT VILL CHANGIPUR TEH CHANDPUR DISTT BIJNOR** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

Note : अग्निशमन अधिकारी /मुख्य अग्निशमन अधिकारी द्वारा प्रेषित स्थलीय भौतिक निरीक्षण संस्तुति आख्या के आधार पर NBC-2005 and relevant OISD के अनुसार अनापत्ति प्रमाण पत्र निर्गत किया जा रहा है अन्य विभाग यथा सत्ता प्राधिकारी अपने मानकों के अन्तर्गत निर्गत करें।

"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों, सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा। यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है।"

हस्ताक्षर (निर्गमन अधिकारी)

Digitally Signed By
(Aman Sharma)निर्गत किये जाने का दिनांक : 09-11-2023
स्थान : LUCKNOW

[A0269865B740788D0DE1F7D7C6707A357F263D40]

09-11-2023



भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो)
Petroleum & Explosives Safety Organisation (PESO)
63/4, ए-विंग, दूसरा तल, केंद्रालय (सी.जी.ओ. कॉम्प्लेक्स), संजय प्लेस
आगरा- 282002
63/4, A-Wing, IInd floor, Kendralaya (CGO Complex), Sanjay Place,
Agra - 282002

Annexure No. 9

E-mail : jtceagra@explosives.gov.in
Phone/Fax No : 0562 - 2523244, 2523266

दिनांक /Dated : 12/09/2023

संख्या /No. : P/CC/UP/15/5146 (P546960)

सेवा में /To,

M/s. BINDALS PAPERS MILLS LTD.,
VILL. CHANGIPUR,
CHANGIPUR,
Chandpur,
Taluka: Chandpur,
District: BIJNOR,
State: Uttar Pradesh
PIN: 246734

विषय /Sub: Khasra No. 211, 212, 213, 216, 229, VILL. CHANGIPUR, CHANGIPUR, Chandpur, Taluka: Chandpur, District: BIJNOR, State: Uttar Pradesh, PIN: 246734 में पेट्रोलियम वर्ग A का अधिष्ठापन
- अनुज्ञप्ति जारी करने के बारे में।
Petroleum Class A Installation at Khasra No. 211, 212, 213, 216, 229, VILL. CHANGIPUR, CHANGIPUR, Chandpur, Taluka: Chandpur, District: BIJNOR, State: Uttar Pradesh, PIN: 246734 Grant of License regarding.

महोदय
/Sir(s),

कृपया आपके घर क्रमांक OIN1444225 दिनांक 05/09/2023 का अवलोकन करें।
Please refer to your letter No. OIN1444225 dated 05/09/2023

विषयान्तर्गत अधिष्ठापन में निम्नलिखित पेट्रोलियम पदार्थों के वर्ग तथा मात्रा के भंडारण के लिए पेट्रोलियम नियम, 2002 के अधीन प्रारूप - XV में स्वीकृत, दिनांक 31/12/2027 तक वैध अनुज्ञप्ति संख्या P/CC/UP/15/5146 (P546960) दिनांक 12/09/2023 भेजी जा रही है।
Licence No. P/CC/UP/15/5146 (P546960) dated 12/09/2023 granted in Form XV under the Petroleum Rules, 2002 and valid till 31/12/2027 for the storage of the following kinds and quantities of Petroleum at the subject installation is forwarded herewith.

पेट्रोलियम का विवरण /Description of Petroleum	किलोलीटरों में अनुज्ञप्त क्षमता /Quantity licenced in KL
वर्ग A प्रयुज पेट्रोलियम /Petroleum Class A in bulk	7720.00 KL
वर्ग A प्रयुज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग B प्रयुज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग B प्रयुज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग C प्रयुज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग C प्रयुज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	7720.00 KL

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें और अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्ति की तारीख या उससे पूर्व Jt. Chief Controller of Explosives, AGRA को प्रेषित करें।
Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Jt. Chief Controller of Explosives, AGRA, so as to reach his office on or before the date on which Licence expires.

यह अनुमोदन/ अनुमति अन्य प्राधिकारियों से आवश्यक अनुमति/क्लीयरन्स प्राप्त करने से या यथा लागू अन्य विधियों से छूट नहीं देती है।
This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय /Yours faithfully,

(व्ही.के.मिश्रा)
(V K Mishra)
संयुक्त मुख्य विस्फोटक निपंत्रक
Jt. Chief Controller of Explosives
आगरा/Agra

Copy forwarded to :-

1. The District Magistrate, BIJNOR(Uttar Pradesh) with reference to his NOC No 1005/20-AAYUDH SHAHAYAK - 2 Dated 18/05/2023

Jt. Chief Controller of Explosives
Agra

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:-This is system generated document does not require signature.

Digitally signed by VINOD KUMAR MISHRA
Reason: Licence No. : P/CC/UP/15/5146
Location:AGRA [P546960]
Date:12-09-2023 17:12:37 PM

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): P/CC/UP/15/5146(P546960)

फीस रूप (Fee Rs.) 50000/- per year

M/s. BINDALS PAPERS MILLS LTD., VILL. CHANGIPUR, CHANGIPUR, Chandpur, Taluka: Chandpur, District: BIJNOR, State: Uttar Pradesh, PIN: 246734 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 7720.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/CC/UP/15/5146(P546960) तारीख 12/09/2023 जो कि इससे उपाबद्ध है, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।
Licence is hereby granted to M/s. BINDALS PAPERS MILLS LTD., VILL. CHANGIPUR, CHANGIPUR, Chandpur, Taluka: Chandpur, District: BIJNOR, State: Uttar Pradesh, PIN: 246734 valid only for the importation and storage of 7720.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/CC/UP/15/5146(P546960) dated 12/09/2023 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2027 तक प्रवृत्त रहेगी।
The Licence shall remain in force till the 31st day of December 2027

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	7720.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	7720.00 KL

September 12, 2023

Jt. Chief Controller of Explosives
CC, Agra

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टताएं संलग्न अनुमोदित नक्शों में दिखाई गई हैं Khasra No: 211, 212, 213, 216, 229, VILL. CHANGIPUR, CHANGIPUR, Chandpur, Taluka: Chandpur, District: BIJNOR, State: Uttar Pradesh, PIN: 246734 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 2 Above Ground tank(s) for CLASS A And 3 Under Ground tank(s) for CLASS A सम्मिलित हैं।
The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Khasra No: 211, 212, 213, 216, 229, VILL. CHANGIPUR, CHANGIPUR, Chandpur, Taluka: Chandpur, District: BIJNOR, State: Uttar Pradesh, PIN: 246734 and consists of 2 Above Ground tank(s) for CLASS A And 3 Under Ground tank(s) for CLASS A together with connected facilities.

Note:-This is system generated document does not require signature.

Digitally signed by VINOD KUMAR MISHRA
Reason: Licence No. : P/CC/UP/15/5146
Location:AGRA [P546960]
Date:12-09-2023 17:13:06 PM

अनुज्ञप्ति संख्या-(Licence No.) P/CC/UP/15/5146 (P546960)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या नवीकरण की तारीख	समाप्ति की तारीख	अनुज्ञापन प्राधिकारी के हस्ताक्षर और
उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति	Date of	स्टाम्प
की शर्तों का उल्लंघन न होने की दशा में यह	Renewal	Signature and office stamp of the
अनुज्ञप्ति फ़िस में बिना किसी छूट के दस वर्ष	Expiry of license	licencing authority.
तक नवीकृत की जा सकेगी।		
This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.		

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.

प्ररूप XIV
(प्रथम अनुसूची का अनुच्छेद 5 देखिए)
FORM XIV
(see Article 5 of the First Schedule)

मोटर वाहनों में ईंधन डालने के लिए पम्प आउटफिट के संबंध में टैंक या टैंकों में पेट्रोलियम भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO STORE PETROLEUM IN TANK/S IN CONNECTION WITH PUMP OUTFIT FOR FUELING MOTOR
CONVEYANCES

अनुज्ञप्ति सं. (Licence No.) : P/CC/UP/14/14010(P577289)

फीस रूपए (Fee Rs.) 5000/- per year

पेट्रोलियम अधिनियम, 1934 के उपबंधों और उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए 20.00 KL of Petroleum class B को टैंक/टैंकों में भण्डारकरण मात्र के लिए M/s. BINDALS PAPERS MILLS LIMITED, 8TH KM BHOPA ROAD, , Muzaffarnagar, Taluka: Other, District: MUZAFFARNAGAR, State: Uttar Pradesh, PIN: 251001 को नीचे वर्णित अनुज्ञप्त परिसरों में जो कि इससे उपबद्ध नक्शा संख्या P/CC/UP/14/14010(P577289) तारीख 26/06/2024 में दिखाया गया है, के लिए विधिमान्य अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to M/s. BINDALS PAPERS MILLS LIMITED, 8TH KM BHOPA ROAD, , Muzaffarnagar, Taluka: Other, District: MUZAFFARNAGAR, State: Uttar Pradesh, PIN: 251001 valid only for the storage of 20.00 KL of Petroleum class B in tank/s in the licensed premises described below and shown on the plan no: P/CC/UP/14/14010(P577289) dated 26/06/2024 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2028 तक विधिमान्य रहेगी।
The Licence shall remain in force till the 31st day of December 2028

June 26, 2024

Jt. Chief Controller of Explosives
CC, Agra

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES


अनुज्ञप्त परिसर जिसकी सीमाएं संलग्न नक्शे में दिखाई गई हैं Khasra No: 207, VILLAGE - CHANGIPUR, CHANGIPUR, Chandpur, Taluka: Chandpur, District: BIJNOR, State: Uttar Pradesh, PIN: 246734 में स्थित हैं और उसमें निम्नलिखित सम्मिलित हैं:
The licensed premises, the boundaries of which are shown in the attached plan, are situated at Khasra No: 207, VILLAGE - CHANGIPUR, CHANGIPUR, Chandpur, Taluka: Chandpur, District: BIJNOR, State: Uttar Pradesh, PIN: 246734 and consist of:

- क पेट्रोलियम वर्ग क परिसर के लिए NIL किलोलिटर क्षमता के/क्रमशः NIL क्षमता के भूमिगत गैस टाईट टैंक, जो विद्युतचालित/हस्तचालित NIL डिस्पेंसिंग पम्पो से जुड़े हुए हैं।
- a NIL number(s) underground gas tight tanks of capacity NIL kilolitres respectively of petroleum Class A connected with NIL number(s) electrically/manually operated dispensing pump(s)
- ख पेट्रोलियम वर्ग ख/ग परिसर के लिए 20.00 किलोलिटर क्षमता के/क्रमशः 1 क्षमता के भूमिगत गैस टाईट टैंक, जो विद्युतचालित/हस्तचालित 2 डिस्पेंसिंग पम्पो से जुड़े हुए हैं।
- b 1 number(s) underground gas tight tanks of capacity 20.00 kilolitres respectively of petroleum Class B connected with 2 number(s) electrically/manually operated dispensing pump(s).
- ग एक विक्रय कक्ष/किप्योस्क
- c A sales room/kiosk
- घ सर्विस सम्बन्धी सुविधाएं जिनमें SERVICES STATION सम्मिलित हैं।
- d Servicing facilities consisting of SERVICES STATION As per attached plan

Note:-This is system generated document does not require physical signature.

Digitally signed by VINOD KUMAR MISHRA
Reason: Licence No. : P/CC/UP/14/14010
Location: AGRA [P577289]
Date: 26-06-2024 16:30:46 PM


**Green Belt Photo of Bindal Papers Mills Ltd.
(Unit Distillery & Distillery)**



Annexure No. 10

Expenses incurred for Environment Protection Till March 2025

Sr. No.	Particulars	Total (Lacs)
A	Expenses incurred for Environment protection till September 2024	5063.98
B	Details of expenses incurred from October 2024 to March 2025	
Sr. No.	Particulaters	Total (Lacs)
1	Green belt development cost	18.00
2	ICX Cost to Paques inoccured in civil & equipment	185
3	Environmental analysis cost	2.50
4	ETP operation cost	37.00
5	CPU operation cost	70.00
6	Water spray by tanker at outerside raod for dust suppresing	5.00
subtotal		317.63
Grand Total (A+B)		5381.60





Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Annexure No. 11

Page No.: 1 of 2

TEST REPORT No. NCL/ED-011/28/02/25		DATE OF REPORT : 03/03/2025
Name and Address of Customer	M/S BINDALS PAPERS MILLS LTD. (SUGAR UNIT) Village - Changlipur, District - Bijnor	

SAMPLING DETAIL

Sample Name : AMBIENT AIR
Analysis Start Date : 28/02/2025
Date of Sampling : 27/02/2025
Time of Sampling : 10:00 AM (27/02) TO 10:00 AM (28/02)
Sampling Protocol : IS:5182
Sampling Flow Rate for : 0.5 LPM
Gases :
Sampling Duration : 24 Hrs
Equipments Used : Respirable Dust Sampler (PM10)+Fine Particulate Sampler (PM2.5) With Gaseous Attachment
Analysis End Date : 03/03/2025
Sampling Done By : NCL
Sampling Location : Near Main Gate
Sample ID No. : NCL/ED-011/28/02/25
Sampling Flow Rate of SPM : 1.25 Mtr³/min (Average)
Sampling Machine Placed at : 3.0 Mtr Height (from ground)

PHYSICAL OBSERVATIONS

Ambient Temperature : 24°C
Weather Conditions : Clear
Wind Direction : East to West

TEST RESULT

S.No.	Test Parameters	Units	Test Method	Results	Specification As per CPCB
1	Particulate Matters (Size Less Than 10µm) (PM10)	µg/m ³	IS:5182 (Part 23)	87	For 24 Hrs=100
2	Particulate Matters (Size Less Than 2.5µm) (PM2.5)	µg/m ³	NCL/AIR/STP-09	48	For 24 Hrs=60
3	Sulphur Dioxide (SO ₂)	µg/m ³	IS:5182 (Part 2)	18.6	For 24 Hrs=80
4	Carbon Monoxide (CO)	mg/m ³	IS:5182 (Part 10)	0.70	For 08 Hrs=02 For 1 Hrs =04
5	Nitrogen Dioxide (NO ₂)	µg/m ³	IS:5182 (Part 6)	32.7	For 24 Hrs=80
6	Lead (Pb)	µg/m ³	IS:5182 (Part 22)	BDL(DL-0.05)	For 24 Hrs=1.0
7	Ozone (O ₃)	µg/m ³	IS:5182 (Part-9)	21.2	For 8 Hrs=100 For 1 Hr=180
8	Ammonia (NH ₃)	µg/m ³	NCL/AIR/STP-13	BDL(DL-20.0)	For 24 Hrs=400
9	Benzene (C ₆ H ₆)	µg/m ³	IS:5182 (Part-11)	BDL(DL-1.0)	For Annual=05
10	Benzo (a) Pyrene (BaP)	ng/m ³	IS:5182 (Part-12)	BDL(DL-0.1)	For Annual=01

ED-011/28/02/25-1

FOR NEWCON CONSULTANTS & LABORATORIES



TENDER
Session Incharge
Checked by

Arvind Shrivastava
Sr. Analyst



- The test report refers only to the particular sample/s submitted for testing and listed parameters.
- Endorsement of the same is neither inferred nor implied.
- Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
- Complaints about this report should be communicated within 10 days of the issue date of this report.
- The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

Page No.: 2 of 2

TEST REPORT No. NCL/ED-011/28/02/25

DATE OF REPORT : 03/03/2025

S.No.	Test Parameters	Units	Test Method	Results	Specification As per CPCB
11	Arsenic (As)	ng/m3	NCL/AIR/STP-19	BDL(DL-1.0)	For Annual=05
12	Nickel (Ni)	ng/m3	NCL/AIR/STP-17	BDL(DL-5.0)	For Annual=20

End of Report

Remarks : BDL=BELOW DETECTION LIMIT.

ED-011/28/02/25-2



Arvind Choudhary
Checked by Analyst

FOR NEWCON CONSULTANTS & LABORATORIES

Authorized Signatory



1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 2

TEST REPORT No. NCL/ED-014/28/02/25		DATE OF REPORT : 03/03/2025
Name and Address of Customer	M/S BINDALS PAPERS MILLS LTD. (SUGAR UNIT) Village - Changipur, District - Bilhor	

SAMPLING DETAIL

Sample Name : AMBIENT AIR
Analysis Start Date : 28/02/2025
Date of Sampling : 27/02/2025
Time of Sampling : 10:00 AM (27/02) TO 10:00 AM (28/02)
Sampling Protocol : IS:5182
Sampling Flow Rate for : 0.5 LPM
Gases :
Sampling Duration : 24 Hrs
Equipments Used : Respirable Dust Sampler (PM10)+Fine Particulate Sampler (PM2.5) With Gaseous Attachment
Analysis End Date : 03/03/2025
Sampling Done By : NCL
Sampling Location : Near Stockyard
Sample ID No. : NCL/ED-014/28/02/25
Sampling Flow Rate of SPM : 1.26 Mtr³/min (Average)
Sampling Machine Placed at : 3.0 Mtr Height (from ground)

PHYSICAL OBSERVATIONS

Ambient Temperature : 27°C
Weather Conditions : Clear
Wind Direction : East to West

TEST RESULT

S.No.	Test Parameters	Units	Test Method	Results	Specification As per CPCB
1	Particulate Matters (Size Less Than 10µm) (PM10)	µg/m3	IS:5182 (Part 23)	80	For 24 Hrs=100
2	Particulate Matters (Size Less Than 2.5µm) (PM2.5)	µg/m3	NCL/AIR/STP-09	42	For 24 Hrs=60
3	Sulphur Dioxide (SO2)	µg/m3	IS:5182 (Part 2)	17.6	For 24 Hrs=80
4	Carbon Monoxide (CO)	mg/m3	IS:5182 (Part 10)	0.61	For 08 Hrs=02 For 1 Hrs =04
5	Nitrogen Dioxide (NO2)	µg/m3	IS:5182 (Part 6)	31.4	For 24 Hrs=80
6	Lead (Pb)	µg/m3	IS:5182 (Part 22)	BDL(DL-0.05)	For 24 Hrs=1.0
7	Ozone (O3)	µg/m3	IS:5182 (Part-9)	20.5	For 8 Hrs=100 For 1 Hr=180
8	Ammonia (NH3)	µg/m3	NCL/AIR/STP-13	BDL(DL-20.0)	For 24 Hrs=400
9	Benzene (C6 H6)	µg/m3	IS:5182 (Part-11)	BDL(DL-1.0)	For Annual=05
10	Benzo (a) Pyrene (BaP)	ng/m3	IS:5182 (Part-12)	BDL(DL-0.1)	For Annual=01

ED-014/28/02/25-1



Seen & checked by **Arvind Choudhary**
Sr. Analyst

FOR NEWCON CONSULTANTS & LABORATORIES



- The test report refers only to the particular sample/s submitted for testing and listed parameters.
- Endorsement of the same is neither Inferred nor implied.
- Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
- Complaints about this report should be communicated within 10 days of the Issue date of this report.
- The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

Page No.: 2 of 2

TEST REPORT No. NCL/ED-014/28/02/25

DATE OF REPORT : 03/03/2025

S.No.	Test Parameters	Units	Test Method	Results	Specification As per CPCB
11	Arsenic (As)	ng/m3	NCL/AIR/STP-19	BDL(DL-1.0)	For Annual=08
12	Nickel (Ni)	ng/m3	NCL/AIR/STP-17	BDL(DL-5.0)	For Annual=20

End of Report

Remarks : BDL=Below Detection Limit.

ED-014/28/02/25-2



Arvind Choudhary
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES



1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither Inferred nor Implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 2

TEST REPORT No. NCL/ED-013/28/02/25		DATE OF REPORT : 03/03/2025
Name and Address of Customer	M/S BINDALS PAPERS MILLS LTD. (SUGAR UNIT) Village - Changipur, District - Bijnor	

SAMPLING DETAIL

Sample Name : AMBIENT AIR
Analysis Start Date : 28/02/2025
Date of Sampling : 27/02/2025
Time of Sampling : 10:00 AM (27/02) TO 10:00 AM (28/02)
Sampling Protocol : IS:5182
Sampling Flow Rate for : 0.5 LPM
Gases :
Sampling Duration : 24 Hrs
Equipments Used : Respirable Dust Sampler (PM10)+Fine Particulate Sampler (PM2.5) With Gaseous Attachment
Analysis End Date : 03/03/2025
Sampling Done By : NCL
Sampling Location : Near Boiler Area
Sample ID No. : NCL/ED-013/28/02/25
Sampling Flow Rate of SPM : 1.27 Mtr³/min (Average)
Sampling Machine Placed at : 3.0 Mtr Height (from ground)

PHYSICAL OBSERVATIONS

Ambient Temperature : 27°C
Weather Conditions : Clear
Wind Direction : East to West

TEST RESULT

S.No.	Test Parameters	Units	Test Method	Results	Specification As per CPCB
1	Particulate Matters (Size Less Than 10µm) (PM10)	µg/m3	IS:5182 (Part 23)	84	For 24 Hrs=100
2	Particulate Matters (Size Less Than 2.5µm) (PM2.5)	µg/m3	NCL/AIR/STP-09	45	For 24 Hrs=60
3	Sulphur Dioxide (SO2)	µg/m3	IS:5182 (Part 2)	18.1	For 24 Hrs=80
4	Carbon Monoxide (CO)	mg/m3	IS:5182 (Part 10)	0.64	For 08 Hrs=02 For 1 Hrs =04
5	Nitrogen Dioxide (NO2)	µg/m3	IS:5182 (Part 6)	32.2	For 24 Hrs=80
6	Lead (Pb)	µg/m3	IS:5182 (Part 22)	BDL(DL-0.05)	For 24 Hrs=1.0
7	Ozone (O3)	µg/m3	IS:5182 (Part-9)	20.8	For 8 Hrs=100 For 1 Hr=180
8	Ammonia (NH3)	µg/m3	NCL/AIR/STP-13	BDL(DL-20.0)	For 24 Hrs=400
9	Benzene (C6 H6)	µg/m3	IS:5182 (Part-11)	BDL(DL-1.0)	For Annual=05
10	Benzo (a) Pyrene (BaP)	ng/m3	IS:5182 (Part-12)	BDL(DL-0.1)	For Annual=01


ED-013/28/02/25-1



JOINDER
Section In-charge
Checked by

Arvind Choudhary
SI Analyst

FOR NEWCON CONSULTANTS & LABORATORIES



1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

Page No.: 2 of 2

TEST REPORT No. NCL/ED-013/28/02/25

DATE OF REPORT : 03/03/2025

S.No.	Test Parameters	Units	Test Method	Results	Specification As per CPCB
11	Arsenic (As)	ng/m3	NCL/AIR/STP-19	BDL(DL-1.0)	For Annual=06
12	Nickel (Ni)	ng/m3	NCL/AIR/STP-17	BDL(DL-5.0)	For Annual=20

End of Report

Remarks : BDL=Below Detection Limit.

ED-013/28/02/25-2



Arvind Choudhary
Chemical Analyst

FOR NEWCON CONSULTANTS & LABORATORIES



1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

Annexure No.12

BINDALS PAPERS MILLS LIMITED (UNIT-SUGAR AND DISTILLERY)
Environment Lab Equipment list

S. No.	Equipment Name	Qty
1.	BOD Incubator	2
2.	COD analyzer	2
3.	Hot air oven	2
4.	Spectrophotometer	1
5.	Muffle furnace	2
6.	Desiccators	2
7.	Centrifuge machine	1
8.	Hotplate	2
9.	Conductivity Meter	1
10.	Ph Meter	1
11.	TDS meter	1
12.	Turbidity meter	1
13.	Weighing Balance	1
14.	Filtration Assembly	1
15.	Magnetic stirrer	1
16.	VA Assembly	1
17.	Thermometer SS(5 noS)	5



Annexure No. 13

BINDALS PAPERS MILLS LIMITED (UNIT-SUGAR AND DISTILLERY)
Members of Environment Management Cell

S.No.	Name (Mr.)	Designation
1.	Sashi Gupta, Unit Head	Chairman
2.	RK Shrama, G.M. Distillery	Vice-Chairman
3.	Satyendra Kumar Head EHS	Secretary
4.	Mukesh Mittal Technical Head	Member
5.	Pawan Gupta Production head (Sugar)	Member
6.	Neeraj Shrama (Lab)	Member
7.	Gaurav Pandey (Boiler)	Member
8.	Manan Rajput (Distillery Production)	Member
9.	Kulvendra Shrama (Distillery Engg.)	Member
10.	Jayveer Singh (ETP In-charge)	Member





Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Annexure No. 14

Page No.: 1 of 1

TEST REPORT No. NCL/ED-012/28/02/25	DATE OF REPORT : 03/03/2025
Name and Address of Customer	M/S BINDALS PAPERS MILLS LTD. (SUGAR UNIT) Village - Changipur, District - Bijnor

SAMPLING DETAIL

Sample Name : Ambient Noise
Analysis Start Date : 28/02/2025 Analysis End Date : 28/02/2025
Date of Monitoring : 27/02/2025 Monitoring Done By : NCL
Monitoring Duration : 24 Hrs Place of Monitoring : Near Main Gate
Time of Monitoring : 10:30 AM (27/02) TO 10:30 AM (28/02) Protocol : NCL/AIR/STP/20
Category of Area : Industrial Area

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	64.2	65.8	66.7	67.8	65.3	67.2	66.1	64.9	68.4	69.5
Night Time Reading (dB(A))	53.6	54.1	54.4	55.3	55.8	56.4	56.9	57.2	57.5	58.1

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
Day Time Noise Level			
1	Average Noise Level	66.6	-
2	L Max	69.5	-
3	L Min	64.2	-
4	Day Leq	66.8	75.0 Max
Night Time Noise Level			
5	Average Noise Level	55.9	-
6	L Max	58.1	-
7	L Min	53.6	-
8	Night Leq	56.1	70.0 Max

End of Report

Remarks : >Day time reckoned between 6:00AM To 10:00PM.
>Night time reckoned between 10:00PM To 06:00AM.

ED-012/28/02/25-1



JITENDER
Section Incharge
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES



1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/ED-016/28/02/25		DATE OF REPORT : 03/03/2025
Name and Address of Customer	M/S BINDALS PAPERS MILLS LTD. (SUGAR UNIT) Village - Changipur, District - Bijnor	

SAMPLING DETAIL

Sample Name : Ambient Noise
Analysis Start Date : 28/02/2025
Date of Monitoring : 27/02/2025
Monitoring Duration : 24 Hrs
Analysis End Date : 28/02/2025
Monitoring Done By : NCL
Place of Monitoring : Near Stockyard
Time of Monitoring : 10:30 AM (27/02) TO 10:30 AM (28/02)
Protocol : NCL/AIR/STP/20
Category of Area : Industrial Area

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	63.6	64.1	64.5	65.3	65.9	66.2	66.7	67.2	67.7	68.1
Night Time Reading (dB(A))	52.8	53.4	54.1	54.7	55.3	55.9	56.2	56.8	57.1	57.6

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
Day Time Noise Level			
1	Average Noise Level	65.9	-
2	L Max	68.1	-
3	L Min	63.6	-
4	Day Leq	66.1	75.0 Max
Night Time Noise Level			
5	Average Noise Level	55.4	-
6	L Max	57.6	-
7	L Min	52.8	-
8	Night Leq	55.6	70.0 Max

End of Report

Remarks : >Day time reckoned between 6:00AM To 10:00PM.
>Night time reckoned between 10:00PM To 06:00AM.

ED-016/28/02/25-1



JITENDER
Section Incharge
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES



1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlabfinance@gmail.com



Newcon Consultants & Laboratories

(GOVERNMENT APPROVED TESTING LABORATORIES)
An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/ED-015/28/02/25		DATE OF REPORT : 03/03/2025
Name and Address of Customer	M/S BINDALS PAPERS MILLS LTD. (SUGAR UNIT) Village - Changipur, District - Bijnor	

SAMPLING DETAIL

Sample Name : Ambient Noise
Analysis Start Date : 28/02/2025
Date of Monitoring : 27/02/2025
Monitoring Duration : 24 Hrs
Analysis End Date : 28/02/2025
Monitoring Done By : NCL
Place of Monitoring : Near Boiler Area
Time of Monitoring : 10:30 AM (27/02) TO 10:30 AM (28/02)
Protocol : NCL/AIR/STP/20
Category of Area : Industrial Area

OBSERVATIONS

Observation No.	1	2	3	4	5	6	7	8	9	10
Day Time Reading (dB(A))	62.8	63.3	63.9	64.2	64.5	65.1	65.6	66.2	66.7	67.4
Night Time Reading (dB(A))	52.7	53.2	53.8	54.3	54.9	55.2	55.6	56.1	56.7	57.2

TEST RESULT

S.No.	Test Parameter	Results	Specification As Per CPCB
Day Time Noise Level			
1	Average Noise Level	65.0	-
2	L Max	67.4	-
3	L Min	62.8	-
4	Day Leq	65.2	75.0 Max
Night Time Noise Level			
5	Average Noise Level	55.0	-
6	L Max	57.2	-
7	L Min	52.7	-
8	Night Leq	55.2	70.0 Max

End of Report

Remarks : >Day time reckoned between 6:00AM To 10:00PM.
>Night time reckoned between 10:00PM To 06:00AM.

ED-015/28/02/25-1



ATTENDER
Section Incharge
Checked by

FOR NEWCON CONSULTANTS & LABORATORIES



Authorized Signatory


1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)
Mobile : 9810430345, 9205501788 | Website : www.newconlab.in
E-mail : newconlab@gmail.com, newconlabfinance@gmail.com


Annexure No. 15

Expenses incurred for Corporate social responsibility till March 2025

Sr. No.	Particulars	Amount In Rs. (Lacs)
A	Expenses incurred for Corporate social responsibility till September 2024	306.38
B	Details of expenses incurred from October 2024 to March 2025	
1	Awareness program of farmer by Agriculture scientist	5.00
2	Farmer Awareness tour for new technique in agriculture	1.00
3	Subsidy on farm machine & Agri input	170.00
4	Subsidy on new variety seed of sugarcane	84.00
5	Soil Conditioner	19.00
6	Soil Analysis	1.00
7	Agriculture scientist visit	1.50
8	Awareness wall painting & leaflet	2.50
9	Brick road on farmer chakroad	20
10	Subsidy on Micronutrient spray in farmer field by drawn	6.5
11	Weekly Bhandara at Devi Mandir	2
Total		312.50
Total Expenses (A+B)		618.88



① Public Notice of Environmental clearance
published in Shah times newspaper
on dated 23.08.2022.



② पर्यावरणीय अनुमति की जन सूचना दैनिक जनवाणी समाचार पत्र में दिनांक 20.08.2022 को प्रकाशित की गयी।

